

Serial No. 09/637,504

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

STATUS OF CLAIMS

Claims

1. (Previously presented): A meter adapted to receive a test strip including a bladder, wherein said meter comprises a gimbaled bladder actuator, said gimbaled bladder actuator comprising:
a gimbaled compression pad comprising a holder and a compression member including a substantially planar compression element wherein said holder is attached to said meter at a gimbaled interface; and
an actuator in contact with said holder for contacting said gimbaled compression pad with said bladder in a manner sufficient to compress said bladder by movement of said actuator when said test strip is positioned in said meter.
2. (Previously presented): The gimbaled bladder actuator according to Claim 1, wherein said actuator comprises a lever arm under the control of an automatic movement means.
3. (Original): The gimbaled bladder actuator according to claim 2, wherein said automatic movement means comprises a solenoid.
4. (Original): The gimbaled bladder actuator according to Claim 2, wherein said lever arm is attached to said movement means by a chassis.
5. (Previously presented): A meter adapted to receive a test strip including a bladder, wherein said meter comprises a gimbaled bladder actuator, said gimbaled bladder actuator comprising:

Serial No. 09/637,504

- (a) a gimbaled compression pad comprising a holder and a compression member including a substantially planar compression element wherein said holder is attached to said meter at a gimbaled interface; and
- (b) actuator in contact with said holder for contacting said gimbaled compression pad with said bladder in a manner sufficient to compress said bladder by movement of said actuator when said test strip is positioned in said meter, wherein said actuating means comprises:
 - (i) a lever arm;
 - (ii) a chassis; and
 - (iii) a solenoid.

6. (Original): The gimbaled bladder actuator according to Claim 5, wherein said gimbaled compression pad has an actual area ranging from about 0.19 square inches to 0.21 square inches.

7. (Original): The gimbaled bladder actuator according to Claim 5, wherein said arm moves said gimbaled compression pad against a bladder in a manner sufficient to apply uniform pressure to said bladder.

8. (Original): The gimbaled bladder actuator according to Claim 5, wherein said gimbaled compression pad is capable of placing a compressive force on a bladder ranging from about 1 lb to about 1.5 lb.

9. (Previously presented): An automatic meter for reading a test strip including a bladder, said meter comprising:

a gimbaled bladder actuator, wherein said gimbaled bladder actuator comprises:

- (a) a gimbaled compression pad comprising a holder and a compression member including a substantially planar compression element wherein said holder is attached to said meter at a gimbaled interface; and

Serial No. 09/637,504

(b) an actuator in contact with said holder for contacting said gimbaled compression pad with said bladder in a manner sufficient to compress said bladder by movement of said actuator when said test strip is positioned in said meter.

10. (Previously presented): The automatic meter according to Claim 9, wherein said actuator comprises a lever arm under the control of an automatic movement means.

11. (Original): The automatic meter according to Claim 10, wherein said automatic movement means is a solenoid movement means.

12. (Original): The automatic meter according to Claim 10, wherein said lever arm is attached to said movement means by a chassis.

13. (Original): The automatic meter according to Claim 9, wherein said gimbaled compression pad has an actual area ranging from about 0.19 square inches to 0.21 square inches.

14. (Original): The automatic meter according to Claim 9, wherein said arm moves said gimbaled compression pad against a bladder in a manner sufficient to apply uniform pressure to said bladder.

15. (Original): The automatic meter according to Claim 9, wherein said gimbaled compression pad is capable of placing a compressive force on a bladder ranging from about 1 lb to 1.5 lb.

Claims 16-20 (Cancelled)